WHAT IS CLAIMED IS:

1. An apparatus for controlling the opening of a cover over a grilling surface, comprising:

a motor coupled to the cover, said motor operating to adjust the opening between the cover and the grilling surface.

- 2. The apparatus of Claim 1, further comprising a counterweight attached at the rear of the cover.
- 3. The apparatus of Claim 1, further comprising a remote control for transmitting control signals to said motor.
- 4. The apparatus of Claim 4, wherein said remote control transmits start and stop signals to said motor.
- 5. The apparatus of Claim 4, wherein said motor operates only during the transmission of control signals to said motor.
- 6. The apparatus of Claim 4, wherein said remote control transmits signals to control flow of a combustible fuel.
- 7. The apparatus of Claim 1, wherein said apparatus is removable from the cover.
 - 8. The apparatus of Claim 1, wherein said motor is battery powered.
- 9. The apparatus of Claim 1, wherein said motor stops movement of the cover at a point within a full range of the cover movement.
- 10. The apparatus of Claim 1, wherein said grilling surface is a charcoal briquette fueled barbecue grill.
- 11. The apparatus of Claim 1, wherein said grilling surface is a combustible gas fueled barbecue grill.
 - 12. A cooking apparatus, comprising:

grilling surface;

a cover that provides an adjustable opening over said grilling surface; and a motor coupled to said cover, said motor operating to adjust the opening between said cover and said grilling surface.



- 13. The cooking apparatus of Claim 12, further comprising a remote control that transmits a control signal to said motor.
- 14. The cooking apparatus of Claim 13, wherein said remote control transmits start and stop signals to said motor.
- 15. The cooking apparatus of Claim 13, wherein said motor operates only during the transmission of control signals to said motor.
- 16. The cooking apparatus of Claim 13, wherein said remote control transmits signals to control flow of a combustible fuel.
- 17. The cooking apparatus of Claim 1/2, further comprising a counterweight attached at the rear of the cover.
- 18. The cooking apparatus of Claim 12, wherein said motor is removable from the grilling surface.
 - 19. The cooking apparatus of Claim 12, wherein said motor is battery powered.
- 20. The cooking apparatus of Claim 12, wherein said motor stops movement of the cover at a point within a full range of the cover movement.
 - 21. A cooking apparatus, comprising:

a grilling surface;

a cover means for providing an adjustable opening over said grilling surface;

and

a cover movement means for opening and closing said cover over said grilling surface.

- 22. The cooking apparatus of Claim 21, further comprising a remote control means for transmitting a control signal to said cover movement means.
- 23. A method of controlling the opening of a cover over a grilling surface, comprising:

causing a motor to operate upon receiving a first signal; said motor coupled to the cover such that operation of said motor causes an adjustment in the placement of the cover over the grilling surface;

causing said motor to stop operating upon receiving a second signal.

ΠJ

 \Box

- The method of Claim 23, wherein activating a first control/generates said first 24. signal.
- The method of Claim 24, wherein releasing said first control generates said 25. second signal.
- The method of Claim 24, wherein activating a second control generates said 26. second signal.
 - An apparatus for attaching a motor to a cover/of a grilling surface, comprising: 27. a motor support beam having an adjustable length, said motor support beam comprising a motor attachment surface for attachment to the motor and at least one base attachment surface for attachment to a support base of the grilling surface.
- The apparatus of Claim 27, further/comprising a counterweight having an 28. cover attachment surface for attachment of said counterweight to the cover of the grilling surface.
- The apparatus of Claim 28, further comprising a coupling rod for attaching the 29. motor to said counterweight
- The apparatus of Claim 27, further comprising a coupling rod for coupling the 30. motor to the cover of the grilling surface.
- 31. The apparatus of Claim 27, wherein said motor support beam comprises a first portion insertable into a second portion.
- The apparatus of Claim 31, wherein said first portion has a threaded exterior 32. portion, and said second portion/has a threaded interior portion, the length of said motor beam being determined by turning said first portion with respect to said second position.
- The apparatus/of Claim 31, wherein said motor support beam further 33. comprises a spring member that presses said first portion away from said second portion.
- The apparatus of Claim 31, wherein at least one of said first portion and said 34. second portion has a plurality of holes, the length of said motor beam being determined by inserting a pin through one of said plurality of holes.
- The apparatus of Claim 31, wherein the motor suspends from said motor 35. support beam.